

CNC ROUTER MACHINE

SIL 1325



PARAMETER DETAILS	
X, Y, Z Working Area	1300 mm × 2500 mm × 250 mm
Resolution	± 0.03 mm
Repeatability	± 0.03 mm
Maximum RPM	0-24000 RPM
Maximum Working Speed	0-18000 RPM
X,Y,Z Structure	Rack Pinion, Ball Screw linear Rails
Structure	Welding Steel Structure

LATHE MACHINE

DILIP 2



PARAMETER DETAILS	
Length of Bed	1370 mm
Width of Bed	225 mm
Height of Centre	165 mm
Swing over saddle	190 mm
Range of spindle speed	40 to 950 RPM
Spindle Drive	V – Belt
Sleeve Diameter	38 mm

LASER CUTTER & ENGRAVING MACHINE

SIL 3 x 2



PARAMETER DETAILS

Working Area	600 mm × 900 mm
Laser Type	CO ₂ DC Glass Laser Tube
Laser Power	100 W
Repeat Positioning Accuracy	0.1 mm (Max)
Cutting Speed	0 – 30,000 mm/min
Engraving Speed	0 – 64,000 mm/min
Graphic File Support	PLT, CDR, AI, DWG, DXF, BMP, JPEG

WELDING MACHINE

EVEREST



PARAMETER DETAILS

Max Welding AMPS	250 AMPS
PRAM Volts	220 V - 440 V
Cycles	50%
Cooling	Oil Cooled / Air Cooled

TABLE SAW MACHINE

INGCO TS150078



PARAMETER DETAILS

Main Table size	430 mm x 640 mm
Maximum Cutting Capacity	85 mm (90°) x 60 mm (45°)
Input Power	1500 W
No Load Speed	4500 RPM
Voltage	220 V - 240 V
Blade tilting range	0° - 45°

AICTE
IDEALab